Six-month index to *Laser Focus*

Vol 13 No 1 (Jan 1977) through No 6 (Jun 1977)

1 Lasers

Short-wavelength output emphasized at OSA meeting *Jan p14*
11-ps pulses obtained from Nd-bel at Naval Research Lab *Jan p18*
Osha compiles data on 2,500 laser models *Jan p22*
A visible laser from nuclear pumping of He-Hg mixture *Jan p28*
50 mj at 270 nm by doubling frequency of flashlamp-pumped dye laser *Jan p28*
CO_2 as a fusion laser, letter from Sidney Singer *Feb p8*
Asterix 3 iodine system delivers terawatt pulses *Feb p16*
Stabilized cw chemical laser *Feb p30*
Selecting a tunable dye laser, by Frances M. Lussier *Feb p48*
Molecular fluorine emits 30-mj 157.5-nm pulses at Sandia *Mar p4*
6-kj pulses from a CO_2 laser for solenoid fusion *Mar p30*
Yields of cw diode lasers reach 50% *Mar p46*
16-μm laser scorecard *Mar p66*
CW diode emits at 1.15 μm for 1,000 hours *Apr p16*
Discharge-pumped HF emits 15 watts *Apr p36*
Faster pulsing from chemical lasers *Apr p43*
Screening high-energy candidates, by David Howgate and Charles Bowden *Apr p44*
Dye-laser survey, letter from A. S. Neville *May p8*
Candidates for a 2-stage fusion laser *May p12*
E-beam-pumped free-electron laser *May p42*
X-ray inversion observed in expanding plasma *May p48*
Kilowatts in far ir with optical pumping *Jun p35*

2 Chemistry, isotope enrichment & spectroscopy

Spur to spectroscopy is expected in Japan *Jan p4*
'Rikes' better than 'Cars' in some raman work *Jan p4*
Energy and military applications will expand market share *Jan p38*
Lasers resolve more coherent effects *Feb p12*
Background-signal reduction at raman meeting *Feb p20*
New light cast on superbroadening *Feb p27*
Spectroscopy with tunable diode lasers, by K. W. Nill *Feb p32*
Laser spectroscopy of biomolecules, by Angelika Anders *Feb p38*
Data for laser-induced chemistry, by David R. Lide Jr. *Feb p53*
Isotope-lab design doubtful this year *Mar p4*
Single atom of cesium is identified *Mar p20*
ArF laser enriches oxygen but economics uncertain *Mar p24*
Rare-earth separation studied for processing nuclear wastes *Mar p28*
Tripling CO_2-pulse frequency with 0.3% efficiency *Mar p32*
Understanding SF_6, a journal review *Mar p65*
Electric-field ionization proposed for enriching uranium *Apr p21*
Atomic detection of 1 part in 10^{15} at atmospheric pressure *Apr p24*
Photochemical destruction of malignant cells *Apr p28*
Photochemists and laser developers face Erda deadlines *May p12*
30-mj tunable ir pulses produced with 1.5% efficiency *May p54*
Fourth-order raman scattering observed *Jun p30*
Improved uv resolution for pulsed dye *Jun p32*
Laser separation of deuterium, by J. C. Vanderleeden *Jun p51*

3 Fusion-research applications

Japan considers strengthening efforts in fusion *Jan p22*
Livermore has 3 oscillators to pulse Argus amplifier *Jan p26*
KMS builds achromatic optics to illuminate fusion targets *Jan p30*
Livermore studies fusion plasmas with 4th harmonics *Jan p34*
Energy & military applications will expand market share *Jan p38*
Erda fills staff positions in laser-fusion division *Jan p68*
Small disk amplifiers of phosphate glass proposed *Feb p4*
Asterix 3 emits terawatt pulses for fusion *Feb p16*
Sandia's 8-Tw electronbeam accelerator *Feb p31*
Approval expected on Livermore's 200-Tw Nova lab *Mar p4*
E-beam solenoid fusion, letter by Lester E. Thode *Mar p8*
6-kj pulses from CO_2 laser for solenoid fusion *Mar p30*
Absorption by plasma laid to resonant interaction *Mar p40*
Fusion-budget request trimmed *Apr p4*
Fusion budget, an editorial *May p6*
Erda deadlines loom for fusion-laser developers *May p12*
CO_2 experiments indicate adequate coupling for fusion *May p32*
Erda shifting fusion emphasis to Livermore *May p40*
Procedural dispute stalls fusion budget *Jun p4*
Livermore's Shiva to begin operation with 'only' 10 Tw *Jun p24*
KMS tests hollow cryogenic pellets *Jun p28*
Pulse shaping for fusion, by W. E. Martin et al *Jun p44*

4 Communication application

Communication market forecast at $1B in 1990 *Jan p4*
Bell System to test its first fiber-optic link *Mar p26*
Glass fiber deemed stronger than steel *Mar p30*
Communication applications seen for electro-optically tuned diode lasers *Mar p39*
Communication components proliferate *Mar p46*
Diode-laser modulation for communication *Mar p54*
Optical-fiber efforts focus on manufacture *Apr p12*
Improving the strength of optical cable *Apr p22*
Communication without fibers, by Charles McIntyre and J. Richard Kerr *Apr p46*
GTE plans optical-link field tests in Los Angeles *May p34*
International standards considered for fiber optics *May p44*
Valtec supplies Navy with iow-attenuation cable *May p46*
Optical communications, a book review by John Fulenwider *May p82*
Air Force space-laser program stalled *Jun p12*
Survey of commercial fibers and cables, by F. M. Lussier *Jun p58*
Receiver effects on fiber links, by David B. Medved *Jun p88*

5 Materials working & inspection

Laser for industrial measurements *Jan p20*
Japan considers stronger efforts in materials working *Jan p22*
Automatic sawing of diamond with a yag laser *Feb p27*
Monitoring particulates in gas from coal combustion *Feb p31*
Laser welding at 100 kilowatts *Mar p14*
Beam may not be worst hazard in industrial applications *Mar p16*
More yags to machine RC networks at Western Electric *May p43*
Yag drills holes in distributor components *May p4*
Laser-doppler velocimetry at Kennedy Airport *May p4*
Drilling tiny holes in auto-distributor parts *Jun p36*
CO_2 drills holes in baby-bottle nipples *Jun p40*

6 Military

Military & energy applications to expand market shares *Jan p38*

Rockwell developing a DF-laser weapon *Feb p4*
Some military lasers exempted from BRH rules *Feb p30*
Pentagon slowing its highpower laser program *Apr p4*
Rangefinding turning to CO_2 lasers *Apr p4*
Holograms simulate landings on aircraft carrier *Apr p26*
Laser scanner for aircraft simulators *Apr p32*
Laser-guided Maverick scores a hit in first test *Apr p36*
Fusion budget, an editorial *May p6*
Military stresses spaceborne laser weapons *Jun p4*
Air Force space-laser communication program on 'hold' *Jun p12*
Air Force to install 800 laser trackers on aircraft *Jun p16*

7 Information processing and graphics

Data terminal based on $2x10^8$-bit holographic memory *Jan p24*
Platemaking: a user's view, editorial *Feb p6*
The outlook for platemaking, letter from Larry G. Larson *Apr p8*
More on laser platemaking, letter from S. Thomas Dunn *Apr p8*
Eocom developing refinement to laser platemaking *May p4*
Automating analysis of x-ray data *May p54*
Blood banks test bar-code scanning system *Jun p36*

8 Biomedical applications

Laser use increasing in macromolecular-structure studies *Jan p32*
Fluorescence measurements help check spread of poultry disease *Feb p29*
Spectroscopy of genetic material, by Angelika Anders *Feb p38*
Some laser surgery becoming routine on 4 continents *Mar p41*
Photochemical destruction of malignant cells *Apr p28*
Laser scattering aids disease-mechanism studies *Apr p30*
Vaporizing plutonium dioxide to study health hazards *May p53*

9 Other applications in research

Dember-effect studies may aid in measuring purity change *Jan p28*
Laser use increases in macromolecular-structure studies *Jan p32*
Lab market will remain vigorous this year *Jan p51*
Monitoring Soviet research, an editorial *Mar p6*
Single atom of cesium is identified *Mar p20*
Atomic detection of 1 part in 10^{15} at room pressure *Apr p24*

SENSORS

Thin Film Thermopile Detectors for F.I.R. Wavelengths

The SENSORS S-15-PE has been successfully used at 10.6μ, 118μ and 496μ. All SENSORS Thermopile Detectors offer broad, flat spectral response from UV through far IR, high D*, convenient resistance range, excellent responsivity and fast response time.

Sensors is the world's largest supplier of Thermopile Detectors. We have a Thermopile configuration for nearly any application and at a price which puts it all together.

Find out how we can help you. Call us today for quick answers or circle our reader service number.

sensors, inc.
3908 Varsity Drive ▪ Ann Arbor, Michigan 48104 U.S.A.
Telephone: 313/973-1400 ▪ Telex: 23-5681

See us at the SPIE meeting in San Diego.

Vaporizing plutonium dioxide to study health hazards *May p53*
Automating analysis of x-ray data *May p54*
Pulsed dye produced homogenous column of ions *Jun p34*

10 Holography

Data terminal based on $2x10^8$-bit holographic memory *Jan p24*
360° holograms simulate landings on aircraft carriers *Apr p26*
Holography aids automation of x-ray data analysis *May p54*
Holography round-up, book review by Burton Clay *Jun p75*

11 Other applications

Thyristors triggered optically to switch electricity *Mar p50*
3-act laser musical suggests special-effects applications *May p38*

12 Associated equipment

Communication fiber deemed stronger than steel *Mar p30*
Planar far-ir detectors for large-area integrated devices *Mar p34*
Low-loss windows developed for chemical lasers *Mar p36*
Communication components proliferate *Mar p46*
Thousands of hours for yag-laser lamps *Apr p4*
Nippon Electric's compact repeater *Apr p14*
Improving the strength of optical-communication cable *Apr p22*
Diamond turning can avoid polishing of metal mirrors *Apr p38*
A quick guide to coatings, by Frances M. Lussier *Apr p50*
Survey of crystals, book review by Robert Goldstein *Apr p60*
10 sulfosalt chalcogenides for AO applications *May p50*
Keeping disk amplifiers clean, by Russell McRae and Paul Lovoi *May p68*
Improve beam-deflection accuracy, by Jaan Raamot and Donald P. Jablonowski *May p96*
One-foot retroreflector for laser-radar studies *Jun p34*
Commercial fibers and cables, by Frances M. Lussier *Jun p58*
Receiver effects on fiber links, by David B. Medved *Jun p88*

13 Materials

Low-loss materials for chemical-laser wavelengths *Mar p36*
Bulk damage to potassium pentaborate *Apr p26*
10 sulfosalt chalcogenides for acousto-optic applications *May p50*

14 Principal meetings

Optical Society of America in Tucson *Jan p14*
Laser-plasma interaction at RPI *Feb p16*
Conference on Raman Spectroscopy in Freiburg *Feb p20*
Society of Manufacturing Engineers in Culver City *Mar p14*
OSA infrared-materials meeting in Annapolis *Mar p36*
International Electron Devices in Washington *Mar p46*
Clea living up to its name, an editorial *Apr p6*
OSA and IEEE on fiber optics in Williamsburg *Apr p12*
American Institute of Aeronautics and Astronautics in Los Angeles *Apr p43*
Army symposium on high-energy lasers at Redstone Arsenal *Apr p44*
Erda on lasers and laser-induced chemistry, in Park City *May p12*
2 societies plan Cleos design conference and show Feb 7 *May p36*
Selective preview of Clea-6 *May p59*
162 firms to exhibit at Laser 77 in Munich *Jun p35*

15 Design & technique features

Selecting a power supply for capacitor charging, by Robert McMillan *Feb p62*
Modulation of cw diode lasers, by Thomas L. Paoli *Mar p54*
Cut jitter in dye-laser output, by F. Y. Wu and Shaoul Ezekiel *Mar p78*
Slicing subnanosecond pieces from longer pulses, by J. P. Machewirth *Mar p81*
A quick guide to optical coatings, by Frances M. Lussier *Apr p50*
Precise 3D measurement with laser and streak camera, by H. John Caulfield, Tomas Hirschfeld and J. Morris Weinberg *Apr p70*
Reduce beamsplitter's polarization sensitivity, by Albert A. Kusch Jr. *Apr p72*
Simulate photomultiplier output to test signal-processing electronics, by Alan J. Ames *Apr p74*
A clean room for disk-amplifier assembly, by Russell McRae and Paul Lovoi *May p68*
Control scanner to improve beam-deflection accuracy, by Jaan Raamot and Donald P. Jablonowski *May p96*
Pulse shaping for fusion, by W. E. Martin et al *Jun p44*
Survey of commercial fibers and cables, by F. M. Lussier *Jun p58*

Effects of receivers on fiber links, by D. B. Medved *Jun p88*

16 Safety & standards

Osha compiles data on 2,500 laser models *Jan p22*
Light-show safety, letter from Leon Goldman *Feb p10*
Some military lasers are exempted from BRH standards *Feb p30*
International standards considered for fiber optics *May p44*
BRH proposes amendments to laser safety standard *May p52*

17 Business & organizations

Spur to spectroscopy is expected in Japan *Jan p4*
Peak sales forecast at Tokyo exhibition *Jan p4*
Spectra-Physics completes acquisition of Laserplane *Jan p4*
Optical-communication market forecast at $1B in 1990 *Jan p4*
This unusual market, editorial *Jan p6*
The commercial market, letter from John Kessler *Jan p8*
Review & outlook 1977 *Jan p38*
Hold-the-line pricing holds profits behind sales increase *Jan p44*
Lab market will remain vigorous this year *Jan p51*
Quanta-Ray's first products: unstable-resonator yags *Feb p42*
Laser Development organized by Javan and Levine *Feb p68*
Approval expected on 200-Tw Nova lab at Livermore *Mar p4*
Scientific Radiation begins manufacture of he-ne lasers *Mar p4*
Coherent continues comeback with a $180,000 quarter *Mar p41*
Training for technicians *Mar p51*
The light-show 'industry', letter from Ivan Dryer *Apr p9*
Canada Wire to acquire 13% of Valtec *Apr p36*
Mathematical Sciences and Garrett in joint study *Apr p36*
Control Laser stock sold by Ivashuk *May p4*
Xonics acquires control of Hadron *May p28*
3-act laser musical proves popular in Boston *May p38*
Fiber Communications merges with a wiremaker *May p44*
Eocom's 24th laser platemaker ordered for Brazilian newspaper *May p46*
Coherent posts profit to continue turnaround *Jun p4*
Spectra's profits up for quarter, down for half *Jun p4*
162 firms from 13 countries to exhibit at Laser 77 *Jun p35*

18 Authors

AMES, Alan J., Simulate photomultiplier output *Apr p74*
ANDERS, Angelika, Laser spectroscopy of biomolecules *Feb p38*
BOWDEN, Charles M. and Howgate, David W. Screening high-energy candidates *Apr p44*
CAULFIELD, H. John et al, Precise 3D measurement *Apr p70*
CLAY, Burton, reviews 'Advances in Holography' *Jun p75*
EZEKIEL, Shaoul and Wu, F. Y., Cut jitter in dye output *Mar p78*
FULENWIDER, John, reviews 'Optical Communications' *May p82*
GOLDSTEIN, Robert, reviews 'Crystal Technology' *Apr p60*
GUINN, Kathleen R. et al, Pulse shaping for fusion *Jun p44*
HIRSCHFELD, Tomas et al, Precise 3D measurement *Apr p70*
HOWGATE, David and Bowden, Charles, Screening high-energy candidates *Apr p44*
JABLONOWSKI, Donald P. and Raamot, Jaan, Improve beam-deflection accuracy *May p96*
JOHNSON, Bertram C. et al, Pulse shaping for fusion *Jun p44*
KERR, J. Richard and McIntyre, Charles, Communication without fibers *Apr p46*
KUSCH, Albert Jr., Polarization-insensitive beamsplitter *Apr p72*
LIDE, David Jr., Data for laser-induced chemistry *Feb p53*
LOVOI, Paul and McRae, R., Keeping disk amplifiers clean *May p68*
LOWDERMILK, W. Howard et al, Pulse shaping for fusion *Jun p44*
MACHEWIRTH, Joseph P., Slicing subnanosecond pieces from longer pulses *Mar p81*
MARTIN, William E. et al, Pulse shaping for fusion *Jun p44*
McINTYRE, Charles, and Kerr, J. R., Communication without fibers *Apr p46*
McMILLAN, Robert, Selecting a capacitor-charging supply *Feb p62*
McRAE, Russell and Lovoi, P., Keeping disk amplifiers clean *May p68*
MEDVED, David B., Receiver effects on fiber links *Jun p88*
PAOLI, Thomas L., Modulation of diode lasers *Mar p54*
RAAMOT, Jaan and Jablonowski, Donald, Improve beam-deflector accuracy *May p96*
VANDERLEEDEN, J. C., Laser deuterium separation *Jun p51*
WEINBERG, J. Morris et al, Precise 3D measurement *Apr p70*
WU, Frederick Y. and Ezekiel, S., Cut jitter in dye output *Mar p78*

JANOS
OPTICAL CORPORATION
HAS ADDED
ZINC SELENIDE
TO OUR PRODUCT LINE



OTHER MATERIALS AVAILABLE FOR LASER APPLICATION

Sodium Chloride • Potassium Chloride • Quartz
Potassium Bromide • Cesium Iodide • Sapphire
Thallium Bromodide • Cesium Bromide • Silicon
Germanium • Calcium Fluoride • Barium Fluoride
Magnesium Fluoride • Lithium Fluoride
Strontium Fluoride • Fused Silica

CALL or WRITE

JANOS OPTICAL CORPORATION
RT. 35, TOWNSHEND, VERMONT 05353
(802) 365-7714
Circle No. 34

ACOUSTO-OPTIC
Q SWITCH

Advanced Design, Highest Quality
Low R. F. Drive Power
High Optical Power Hold-Off

AQS-25 ACOUSTO-OPTIC Q SWITCH

Operating wavelength . . . . . 1.06 μm
Static insertion loss . . . . . <.5%
Optical aperture . . . . . 4x5 mm
Angular beam separation . . . . . 4.41 mrad
Operating center frequency range . . . . . 24 to 28 MHz
R. F. Input impedance . . . . . 50 ohms nominal
Maximum reflected power 10%
Diffraction efficiency (10 watts R.F.) 30%
Driver electronics also available

IntraAction Corp.
Quality Products for Laser Technology
766 FOSTER AVE. • BENSENVILLE, ILLINOIS 60106 • (312) 595-3770
Circle No. 35